

ACTA METALLURGICA ET MATERIALIA **CONTENTS OF VOLUME 41**

NUMBER 1

E. Hornbogen and E. A. Starke Jr	1	Overview No. 102: Theory assisted design of high strength low alloy aluminum
T. A. Abinandanan and W. C. Johnson	17	Coarsening of elastically interacting coherent particles—I. Theoretical formulation
T. A. Abinandanan and W. C. Johnson	27	Coarsening of elastically interacting coherent particles—II. Simulations of preferential coarsening and particle migrations
B. D. Butler and J. B. Cohen	41	Atomic displacements caused by carbon interstitials in austenite
W. Kim, J. E. Flinn and J. G. Byrne	49	Parametric studies of the hot isostatic pressing of rapidly solidified 304 stainless steel powder
P. Peczak and M. J. Luton	59	A Monte Carlo study of the influence of dynamic recovery on dynamic recrystallization
D. J. Miller and H. L. Fraser	73	Enhanced decomposition of rapidly solidified microstructures in Al-Fe-Mo and Ti-Al-Er alloys by plastic deformation and applied stress
M. J. Mills and D. B. Miracle	85	The structure of $a\langle 100 \rangle$ and $a\langle 110 \rangle$ dislocation cores in NiAl
D. G. Morris, M. M. Dadras and M. A. Morris	97	The influence of Cr addition on the ordered microstructure and deformation and fracture behaviour of a Fe-28%Al intermetallic
C. Nishimura and C. T. Liu	113	Reactive sintering of Ni ₃ Al under compression
A. R. Akisanya and N. A. Fleck	121	Fatigue and creep of a constrained metal wire
Qing Ma and R. W. Balluffi	133	Diffusion along [001] tilt boundaries in the Au/Ag system—I. Experimental results
Qing Ma, C. L. Liu, J. B. Adams and R. W. Balluffi	143	Diffusion along [001] tilt boundaries in the Au/Ag system—II. Atomistic modeling and interpretation
T. R. Smith and E. M. Schulson	153	The brittle compressive failure of fresh-water columnar ice under biaxial loading
A. O. Aning, Z. Wang and T. H. Courtney	165	Tungsten solution kinetics and amorphization of nickel in mechanically alloyed Ni-W alloys

ACTA METALLURGICA ET MATERIALIA **CONTENTS OF VOLUME 41**

NUMBER 1

E. Hornbogen and E. A. Starke Jr	1	Overview No. 102: Theory assisted design of high strength low alloy aluminum
T. A. Abinandanan and W. C. Johnson	17	Coarsening of elastically interacting coherent particles—I. Theoretical formulation
T. A. Abinandanan and W. C. Johnson	27	Coarsening of elastically interacting coherent particles—II. Simulations of preferential coarsening and particle migrations
B. D. Butler and J. B. Cohen	41	Atomic displacements caused by carbon interstitials in austenite
W. Kim, J. E. Flinn and J. G. Byrne	49	Parametric studies of the hot isostatic pressing of rapidly solidified 304 stainless steel powder
P. Peczak and M. J. Luton	59	A Monte Carlo study of the influence of dynamic recovery on dynamic recrystallization
D. J. Miller and H. L. Fraser	73	Enhanced decomposition of rapidly solidified microstructures in Al-Fe-Mo and Ti-Al-Er alloys by plastic deformation and applied stress
M. J. Mills and D. B. Miracle	85	The structure of $a\langle 100 \rangle$ and $a\langle 110 \rangle$ dislocation cores in NiAl
D. G. Morris, M. M. Dadras and M. A. Morris	97	The influence of Cr addition on the ordered microstructure and deformation and fracture behaviour of a Fe-28%Al intermetallic
C. Nishimura and C. T. Liu	113	Reactive sintering of Ni ₃ Al under compression
A. R. Akisanya and N. A. Fleck	121	Fatigue and creep of a constrained metal wire
Qing Ma and R. W. Balluffi	133	Diffusion along [001] tilt boundaries in the Au/Ag system—I. Experimental results
Qing Ma, C. L. Liu, J. B. Adams and R. W. Balluffi	143	Diffusion along [001] tilt boundaries in the Au/Ag system—II. Atomistic modeling and interpretation
T. R. Smith and E. M. Schulson	153	The brittle compressive failure of fresh-water columnar ice under biaxial loading
A. O. Aning, Z. Wang and T. H. Courtney	165	Tungsten solution kinetics and amorphization of nickel in mechanically alloyed Ni-W alloys

M. Karayaka and Huseyin Sehitoglu	175	Thermomechanical deformation modeling of Al ₂ xxx-T ₄ /SiC _p composites
Osamu Ito and E. R. Fuller Jr	191	Computer modelling of anisotropic grain microstructure in two dimensions
Ajay Dhar, L. Clapham and D. L. Atherton	199	The influence of pearlite on magneto-acoustic emission in plain carbon steels
C. Shearwood and R. W. Whitworth	205	Novel processes of dislocation multiplication observed in ice
M. Brede	211	The brittle-to-ductile transition in silicon
J. Echigoya, T. Satoh and T. Ohmi	229	Thin film reaction and interface structure of Cu on (111)Si
A. Garg, Y. C. Chang and J. M. Howe	235	Interfacial structure and transformation mechanism of the Ω phase in Al-3.9 Cu-0.5 Mg-0.5 Ag alloy
Minfa Lin, G. B. Olson and Morris Cohen	253	Homogeneous martensitic nucleation in Fe-Co precipitates formed in a Cu matrix
V. M. Lopez H., N. Sano, T. Sakurai and K. Hirano	265	A study of phase decomposition in Cu-Ni-Fe alloys
S. Chaudhuri, N. Roy and R. N. Ghosh	273	Modelling high temperature creep of Cr-Mo steel
Y. Wang, L.-Q. Chen and A. G. Khachaturyan	279	Kinetics of strain-induced morphological transformation in cubic alloys with a miscibility gap
S. P. Marsh, M. A. Imam, B. B. Rath and C. S. Pande	297	On the kinetics of shrinking grains
J. Pospiech, K. Lücke and K. Sztwiertnia	305	Orientation distribution and orientation correlation functions for description of microstructures

I *Acta Metallurgica et Materialia*—Associate Editors

NUMBER 2

P. Van Houtte and L. De Buyser	323	Overview No. 103: The influence of crystallographic texture on diffraction measurements of residual stress
Y. He, G. M. Dougherty, G. J. Shiflet and S. J. Poon	337	Unique metallic glass formability and ultra-high tensile strength in Al-Ni-Fe-Gd alloys
M. Rappaz and Ch.-A. Gandin	345	Probabilistic modelling of microstructure formation in solidification processes
K. E. Perry, G. B. May, J. S. Epstein, H. Okada and S. N. Atluri	361	Experimental <i>R</i> -curve behavior in partially stabilized zirconia using moiré interferometry

B. Serier and D. Treheux	369	Silver-alumina solid state bonding: influence of the work hardening of the metal
M. M. Chadwick, J. J. Petrovic, S. C. Danforth and T. E. Mitchell	375	Topotactic growth of Si_2ON_2 on SiC
S. A. Jones and M. J. Kaufman	387	Phase equilibria and transformations in intermediate titanium-aluminum alloys
R. Tandon, D. J. Green and R. F. Cook	399	Strength variability in brittle materials with stabilizing and destabilizing resistance fields
N. Dey and J. A. Sekhar	409	Interface configurations during the directional growth of salol—I. Morphology
N. Dey and J. A. Sekhar	425	Interface configurations during the directional growth of salol—II. Thermal stress cracking
W.-J. Kim and J. K. Park	441	On the kinetics of discontinuous precipitation in an Al-14.6 at.% Zn alloy
Z. Yao and R. H. Wagoner	451	Active slip in aluminum multicrystals
A. Garbacz and M. W. Grabski	469	The relationship between texture and CSL boundaries distribution in polycrystalline materials—I. The grain boundary misorientation distribution in random polycrystal
A. Garbacz and M. W. Grabski	475	The relationship between texture and CSL boundaries distribution in polycrystalline materials—II. Analysis of the relationship between texture and coincidence grain boundary distribution
R. W. Margevicius and J. J. Lewandowski	485	Pressure-induced dislocations and subsequent flow in NiAl
A. Bartlett and A. G. Evans	497	The effect of reaction products on the fracture resistance of a metal/ceramic interface
F. E. Heredia, M. Y. He, G. E. Lucas, A. G. Evans, H. E. Dève and D. Konitzer	505	The fracture resistance of directionally solidified dual-phase NiAl reinforced with refractory metals
B. I. Nikolin, A. Yu. Babkevich, T. V. Izdkovskaya and S. N. Petrova	513	Effect of heat treatment on the crystalline structure of martensite in iron-, nickel-, manganese- and silicon-doped Co-W and Co-Mo alloys
J. Kameda	517	High temperature brittle intergranular cracking in high strength nickel alloys undoped and doped with S, Zr and/or B—I. Crack growth characteristics

J. Kameda and A. J. Bevolo	527	High temperature brittle intergranular cracking in high strength nickel alloys undoped and doped with S, Zr, and/or B—II. Solute segregation analysis
Jiang Xinggang, Cui Jianzhong and Ma Longxiang	539	A cavity nucleation model during high temperature creep deformation of metals
W.-Z. Zhang and G. R. Purdy	543	A TEM study of the crystallography and interphase boundary structure of α precipitates in a Zr-2.5 wt%Nb alloy
Hui Lin and D. P. Pope	553	The influence of grain boundary geometry on intergranular crack propagation in Ni ₃ Al
X. Zhang and A. Atrens	563	A TEM study on the microstructure of rapidly solidified Cu-Co alloys
E. K. Tschegg, D. M. Tan, H. O. K. Kirchner and S. E. Stanzl	569	Interfacial and subinterfacial fracture in concrete
M. Zehetbauer and V. Seumer	577	Cold work hardening in stages IV and V of f.c.c. metals—I. Experiments and interpretation
M. Zehetbauer	589	Cold work hardening in stages IV and V of f.c.c. metals—II. Model fits and physical results
H. M. Jensen	601	Energy release rates and stability of straight-sided, thin-film delaminations
K. Raviprasad and K. Chattopadhyay	609	The influence of critical points and structure and microstructural evolution in iron rich Fe-Si alloys
V. A. Lubarda, J. A. Blume and A. Needleman	625	An analysis of equilibrium dislocation distributions
M. S. Duesbery and Z. S. Basinski	643	The flow stress of potassium

NUMBER 3

D. B. Miracle	649	Overview No. 104: The physical and mechanical properties of NiAl
S. J. Sharp, M. F. Ashby and N. A. Fleck	685	Material response under static and sliding indentation loads
Y.-F. Li, G. C. Farrington and C. Laird	693	Cyclic response-electrochemical interaction in mono- and polycrystalline AISI 316L stainless steel in H ₂ SO ₄ solution—I. The influence of mechanical strain on the transient dissolution behavior during corrosion fatigue

Y.-F. Li, G. C. Farrington and C. Laird	709	Cyclic response-electrochemical interaction in mono- and polycrystalline AISI 316L stainless steel in H ₂ SO ₄ solution—II. Potential dependence of the transient dissolution behavior during corrosion fatigue
Y.-F. Li, G. C. Farrington and C. Laird	723	Cyclic response-electrochemical interaction in mono- and polycrystalline AISI 316L stainless steel in H ₂ SO ₄ solution—III. Potential dependence of the mechanical behavior during corrosion fatigue
M.-X. Zhang and Y. A. Chang	739	Stability of an alloy/oxide interface with oxygen ions being the dominant diffusing species in the oxide scale
Y. C. Lo, S. K. Wu and H. E. Horng	747	A study of B2 \leftrightarrow B19 \leftrightarrow B19' two-stage martensitic transformation in a Ti ₅₀ Ni ₄₀ Cu ₁₀ alloy
K. S. Chan	761	Effects of interface degradation on fiber bridging of composite fatigue cracks
A. Luo, D. J. Lloyd, A. Gupta and W. V. Youdelis	769	Precipitation and dissolution kinetics in Al-Li-Cu-Mg alloy 8090
S. K. Das, A. Biswas and R. N. Ghosh	777	Volume fraction dependent particle coarsening in plain carbon steel
Y. Brechet and F. Louchet	783	A physical approach to the toughness problem: from thermodynamics to kinetics—I. The homogeneous case
F. Louchet and Y. Brechet	793	A physical approach to the toughness problem: from thermodynamics to kinetics—II. The heterogeneous case
S. M. Barinov and V. Yu. Evdokimov	801	Zirconia-toughening of nickel aluminide
A. J. Philipps, W. J. Clegg and T. W. Clyne	805	Fracture behaviour of ceramic laminates in bending—I. Modelling of crack propagation
A. J. Philipps, W. J. Clegg and T. W. Clyne	819	Fracture behaviour of ceramic laminates in bending—II. Comparison of model predictions with experimental data
K. Hono, N. Sano, S. S. Babu, R. Okano and T. Sakurai	829	Atom probe study of the precipitation process in Al-Cu-Mg-Ag alloys
K. Parlinski, E. K. H. Salje and V. Heine	839	Annealing of tweed microstructure in high <i>T_c</i> superconductors studied by a computer simulation
X. D. Zhang, Y. J. Bi and M. H. Loretto	849	Structure and stability of the precipitates in melt spun ternary Al-transition-metal alloys
M. Ignat, J.-Y. Buffiere and J. M. Chaix	855	Microstructures induced by a stress gradient in a nickel-based superalloy
R. L. Fleischer	863	Substitutional solutes in AlRu—I. Effects of solute on moduli, lattice parameters and vacancy production

- | | | |
|---|-----|--|
| M. Y. He, A. G. Evans and
W. A. Curtin | 871 | The ultimate tensile strength of metal and ceramic-matrix composites |
| M. Dikici | 879 | Effect of elastic distortions caused by Orowan loops in an infinite anisotropic medium on Moiré fringes |
| I. Dutta, J. D. Sims and
D. M. Seigenthaler | 885 | An analytical study of residual stress effects on uniaxial deformation of whisker reinforced metal-matrix composites |
| J. Grilhe | 909 | Study of roughness formation induced by homogeneous stress at the free surfaces of solids |
| Hiroshi Okumura,
Akihisa Inoue and
Tsuyoshi Masumoto | 915 | Heating rate dependence of two glass transitions and phase separation for a $\text{La}_{35}\text{Al}_{25}\text{Ni}_{20}$ amorphous alloy |
| Kyung-mox Cho,
Sunghak Lee, S. R. Nutt
and J. Duffy | 923 | Adiabatic shear band formation during dynamic torsional deformation of an HY-100 steel |
| Zhi'an Yang, Zhirui Wang,
Xiaobo Hu and
Zhongguang Wang | 933 | Effect of cyclic stress on the high temperature creep behavior of Al-Mg alloys |
| Nack J. Kim and Eui W. Lee | 941 | Effect of T_1 precipitate on the anisotropy of Al-Li alloy 2090 |
| R. Z. Valiev and
T. G. Langdon | 949 | An investigation of the role of intragranular dislocation strain in the superplastic Pb-62% Sn eutectic alloy |
| N. Taylor, D. C. Dunand and
A. Mortensen | 955 | Initial stage hot pressing of monosized Ti and 90% Ti-10% TiC powders |
| S. A. Mujahid and
H. K. D. H. Bhadeshia | 967 | Coupled diffusional/displacive transformations: effect of carbon concentration |
| T. Kamijo, H. Adachihara
and H. Fukutomi | 975 | Formation of a (001)[100] deformation structure in aluminum single crystals of an S-orientation |

NUMBER 4

- | | | |
|---|------|--|
| M. H. Yoo, S. L. Sass,
C. L. Fu, M. J. Mills,
D. M. Dimiduk and
E. P. George | 987 | Overview No. 105: Deformation and fracture of inter-metallics |
| T. S. Kê (Ge Tingsui) and
Duan Yuhua | 1003 | Stress relaxation across the boundary in 99.999% aluminium bicrystals and the variation of relaxation strength with temperature of measurement |
| T. Takasugi, J. Kishino and
S. Hanada | 1009 | Anomalous elongation behavior of stoichiometric NiAl single crystals at intermediate temperatures |
| T. Takasugi, J. Kishino and
S. Hanada | 1021 | Stress asymmetry of stoichiometric NiAl single crystals |

- | | | |
|---|------|---|
| A. A. Nazarov,
A. E. Romanov and
R. Z. Valiev | 1033 | On the structure, stress fields and energy of nonequilibrium grain boundaries |
| N. A. Akhmadeev,
N. P. Kobelev,
R. R. Mulyukov,
Ya. M. Soifer and
R. Z. Valiev | 1041 | The effect of heat treatment on the elastic and dissipative properties of copper with the submicrocrystalline structure |
| A. Sato, K. Tamura, M. Ito,
M. Kato and T. Mori | 1047 | <i>In situ</i> observation of moving dislocations in a Cu-10Ni-6Sn spinodal alloy |
| M. D. Thouless | 1057 | Effect of surface diffusion on the creep of thin films and sintered arrays of particles |
| M. D. Baró, S. Suriñach,
J. Malagelada,
M. T. Clavaguera-Mora,
S. Gialanella and
R. W. Cahn | 1065 | Kinetics of reordering of Ni ₃ Al disordered by ball-milling |
| U. Klement and P. Haasen | 1075 | <i>In situ</i> HVEM-investigations of the early stages of recrystallization in Cu-0.2 at.% Mn-single crystals |
| D. Deng, F. Zheng, Y. Xu,
G. Qi and A. S. Argon | 1089 | Creep and structural relaxation in Pd40Ni40P20 glass |
| C. Colinet, G. Inden
and R. Kikuchi | 1109 | CVM calculation of the phase diagram of b.c.c. Fe-Co-Al |
| E. A. Holm, D. J. Srolovitz
and J. W. Cahn | 1119 | Microstructural evolution in two-dimensional two-phase polycrystals |
| J. A. Floro and
C. V. Thompson | 1137 | Numerical analysis of interface energy-driven coarsening in thin films and its connection to grain growth |
| Y. Umakoshi, T. Nakano,
T. Takenaka, K. Sumimoto
and T. Yamane | 1149 | Orientation and temperature dependence of yield stress and slip geometry of Ti ₃ Al and Ti ₃ Al-V single crystals |
| Y. Umakoshi and T. Nakano | 1155 | The role of ordered domains and slip mode of α_2 phase in the plastic behaviour of TiAl crystals containing oriented lamellae |
| K. Milička | 1163 | Constant structure creep in metals after stress reduction in steady state stage |
| D. P. Dunham and
J. C. Gibeling | 1173 | Thermally and mechanically activated dislocation glide: experimental results and theoretical analysis |
| Wenxu Guo, J. R. Dryden
and G. R. Purdy | 1183 | Observations of the effect of an applied stress on the morphology of discontinuous precipitation in a Cu-Cd alloy |

- | | | |
|---|------|---|
| D. M. Knowles, T. J. Downes
and J. E. King | 1189 | Crack closure and residual stress effects in fatigue of a particle-reinforced metal matrix composite |
| R. L. Fleischer | 1197 | Substitutional solutes in AlRu—II. Hardening and correlations with defect structure |
| Hiromi Miura, Taku Sakai,
Norio Tada,
Masaharu Kato and
T. Mori | 1207 | Temperature dependence of ductility and fracture of Cu-SiO ₂ bicrystals with [001] twist boundaries |
| A. M. Othman, J. Lin,
D. R. Hayhurst
and B. F. Dyson | 1215 | Comparison of creep rupture lifetimes of single and double notched tensile bars |
| M. Y. He, F. E. Heredia,
D. J. Wissuchek,
M. C. Shaw and
A. G. Evans | 1223 | The mechanics of crack growth in layered materials |
| R. Lappalainen, A. Pannikatt
and R. Raj | 1229 | Superplastic flow in a non-stoichiometric ceramic: magnesium aluminate spinel |
| S. A. Kukushkin
and T. V. Sakalo | 1237 | Diffusional coalescence of island films on the real crystal surface in the case of layer-by-layer growth of islands—I. An isolated system |
| S. A. Kukushkin
and T. V. Sakalo | 1243 | Diffusional coalescence of island films on the real crystal surface in the case of layer-by-layer growth of islands—II. An open system. Undamped sources of deposited atoms |
| T. Kamijo, A. Inoue and
H. Fukutomi | 1245 | Inhomogeneous deformation in embedded aluminum single crystals during cold-rolling |
| P. M. Hazzledine and
J. H. Schneibel | 1253 | Theory of Coble creep for irregular grain structures |
| Won-Hyuk Rhee,
Young-Jun Baik and
Duk-Yong Yoon | 1263 | Grain boundary migration with precipitation and dissolution of a liquid phase in Mo-Ni alloy |
| A. W. Pryce and
P. A. Smith | 1269 | Matrix cracking in unidirectional ceramic matrix composites under quasi-static and cyclic loading |
| U. D. Kulkarni, S. Banerjee
and S. D. Kulkarni | 1283 | On the evolution of quasiperiodicity through faulting—a projection formalism approach |
| Zhuorning Guan, Guoxun Liu
and Juan Du | 1293 | Characterization of diffusion induced grain boundary migration in the Ag/Cu system |
| M. Srinivas, G. Malakondaiah
and P. Rama Rao | 1301 | Fracture toughness of f.c.c. nickel and strain ageing b.c.c. iron in the temperature range 77–773 K |

NUMBER 5

- | | | |
|--|------|---|
| M. F. Ashby | 1313 | Overview No. 106: Criteria for selecting the components of composites |
| A. K. Malhotra and
D. C. Van Aken | 1337 | Experimental and theoretical aspects of internal friction associated with the melting of embedded particles |
| A. Thorvaldsen | 1347 | Grain growth as a stochastic process |
| W. W. Mullins and J. Viñals | 1359 | Scaling in linear bubble models of grain growth |
| W. A. Curtin | 1369 | Multiple matrix cracking in brittle matrix composites |
| K. S. Kumar, M. S. DiPietro
and J. D. Whittenberger | 1379 | Compression response of monolithic and particulate-reinforced composites of $Al_{67}Ti_{25}Cr_8$ and $Al_{66}Ti_{25}Mn_9$ |
| A. R. Yavari | 1391 | Reordering kinetics and magnetic properties of mechanically disordered nanocrystalline $L1_2$ -type $Ni_3Al + Fe$ alloys |
| A. Toshimitsu Yokobori Jr,
Takeshi Isogai
and Takeo Yokobori | 1405 | A model emitting dislocation group from crack tip with stress singularity and its application to brittle-ductile transition |
| D. Bouvard | 1413 | Modelling the densification of powder composites by power law creep |
| D. A. Hughes | 1421 | Microstructural evolution in a non-cell forming metal: Al-Mg |
| P. M. Mummery, B. Derby
and C. B. Scruby | 1431 | Acoustic emission from particulate-reinforced metal matrix composites |
| J. Balík and P. Lukáč | 1447 | Portevin-Le Châtelier instabilities in Al-3 Mg conditioned by strain rate and strain |
| J. Xu, X. K. Sun, W. X. Chen
and Y. Y. Li | 1455 | Hydrogen permeation and diffusion in iron-base superalloys |
| P. E. McHugh, R. J. Asaro
and C. F. Shih | 1461 | Computational modeling of metal matrix composite materials—I. Isothermal deformation patterns in ideal microstructures |
| P. E. McHugh, R. J. Asaro
and C. F. Shih | 1477 | Computational modeling of metal matrix composite materials—II. Isothermal stress-strain behavior |
| P. E. McHugh, R. J. Asaro
and C. F. Shih | 1489 | Computational modeling of metal matrix composite materials—III. Comparisons with phenomenological models |
| P. E. McHugh, R. J. Asaro
and C. F. Shih | 1501 | Computational modeling of metal matrix composite materials—IV. Thermal deformations |
| S. Lay and G. Nouet | 1511 | On the possible multiplicity of nearly equivalent coincidence site lattices for (0T12) twin in hexagonal crystals |

- | | | |
|--|------|---|
| K. Aoki, X.-G. Li, T. Hirata,
E. Matsubara, Y. Waseda
and T. Masumoto | 1523 | A correlation between stability of compounds and structure of hydrogen-induced amorphous alloys in GdM_2 ($M = Fe, Co, Ni$) |
| F. Tranchant, J. Vergnol
and P. Franciosi | 1531 | On the twinning initiation criterion in Cu-Al alpha single crystals—I. Experimental and numerical analysis of slip and dislocation patterns up to the onset of twinning |
| P. Franciosi, F. Tranchant
and J. Vergnol | 1543 | On the twinning initiation criterion in Cu-Al alpha single crystals—II. Correlation between the microstructure characteristics and the twinning initiation |
| Z. Suo, C. F. Shih and
A. G. Varias | 1551 | A theory for cleavage cracking in the presence of plastic flow |
| D. Duly | 1559 | Application of the invariant line model for b.c.c./h.c.p. couples: a criterion based on surface variations |
| M. W. Dib and G. J. Rodin | 1567 | Continuum damage mechanics of constrained intergranular cavitation |
| Yasunari Yoshitomi,
Kenzou Iwayama,
Takeo Nagashima,
Jirou Harase
and Nobuyuki Takahashi | 1577 | Coincidence grain boundary and role of inhibitor for secondary recrystallization in Fe-3% Si alloy |
| Y. Liu | 1587 | Effects of martensite morphology on the aging behaviour of virgin martensite |
| A. Bouzaher and R. Bonnet | 1595 | Misfit dislocations arranged in a hexagonal network in anisotropic elasticity. Related displacement field and stored elastic energy |
| X. Hu, H. Margolin and
S. Nourbakhsh | 1605 | Constraint induced stresses and the hard surface-soft surface question in fatigue |
| H. R. Habibi Bajguirani,
C. Servant and G. Cizeron | 1613 | TEM investigation of precipitation phenomena occurring in PH 15-5 alloy |
| X. F. Hu, Q. L. Ge and
Z. L. Wu | 1625 | Interaction between titanium and nitrogen atoms in solid solution of ferrous alloys |
| W. C. Carter and
C. A. Handwerker | 1633 | Morphology of grain growth in response to diffusion induced elastic stresses: cubic systems |

NUMBER 6

- | | | |
|--|------|--|
| R. Monzen, M. Futakuchi,
K. Kitagawa and T. Mori | 1643 | Measurement of grain boundary sliding of [011] twist boundaries in copper by electron microscopy |
| R. Torrecillas, J. S. Moya,
S. de Aza, H. Gros and
G. Fantozzi | 1647 | Microstructure and mechanical properties of mullite-zirconia reaction-sintered composites |

- | | | |
|---|------|--|
| Cl. Maurice and J. H. Driver | 1653 | High temperature plane strain compression of cube oriented aluminium crystals |
| T. Nakamura and S. Suresh | 1665 | Effects of thermal residual stresses and fiber packing on deformation of metal-matrix composites |
| Chr. Herzig, J. Geise and Yu. Mishin | 1683 | Grain boundary diffusion and grain boundary segregation of tellurium in silver |
| X. M. Zhang, D. F. Li, Z. S. Xing, E. Gautier, J. S. Zhang and A. Simon | 1693 | Morphology transition of deformation-induced lenticular martensite in Fe-Ni-C alloys |
| A. F. Whitehouse and T. W. Clyne | 1701 | Cavity formation during tensile straining of particulate and short fibre metal matrix composites |
| T. Kamijo, S. Kataoka and H. Inagaki | 1713 | Nucleation and growth of cube-oriented recrystallized grains in an aluminum single crystal of an <i>S</i> -orientation |
| F. Appel, P. A. Beaven and R. Wagner | 1721 | Deformation processes related to interfacial boundaries in two-phase γ -titanium aluminides |
| Hiroshi Okuda, Masanori Tanaka, Kozo Osamura and Yoshiyuki Amemiya | 1733 | Synchrotron-radiation small-angle scattering measurements of the reversion process of δ' precipitates in Al-8.1%Li binary alloy |
| F. Haessner and J. Schmidt | 1739 | Investigation of the recrystallization of low temperature deformed highly pure types of aluminium |
| M. Sakai | 1751 | Energy principle of the indentation-induced inelastic surface deformation and hardness of brittle materials |
| E. Sato and K. Kuribayashi | 1759 | A model of internal stress superplasticity based on continuum micromechanics |
| T. Haubold | 1769 | EXAFS studies of bismuth doped nanocrystalline copper |
| J. M. Zhang and K. Y. Lam | 1773 | On transformation shear of precipitated zirconia particles |
| T. Hirano and T. Mawari | 1783 | Unidirectional solidification of Ni ₃ Al by a floating zone method |
| W. Wunderlich, Th. Kremser and G. Frommeyer | 1791 | Mobile dislocations at the α_2/γ phase boundaries in intermetallic TiAl/Ti ₃ Al-alloys |
| B. Wei, D. M. Herlach, B. Feuerbacher and F. Sommer | 1801 | Dendritic and eutectic solidification of undercooled Co-Sb alloys |
| Qing Ma and D. R. Clarke | 1811 | Optical fluorescence from chromium ions in sapphire: a probe of the image stress |

- | | | |
|--|------|---|
| Qing Ma and D. R. Clarke | 1817 | Measurement of residual stresses in sapphire fiber composites using optical fluorescence |
| G. Pezzotti | 1825 | On the actual contribution of crack deflection in toughening platelet-reinforced brittle-matrix composites |
| Y. S. Lee, T. A. Kozlosky and T. J. Batt | 1841 | Effects of grain boundary diffusion and power law creep on cylindrical cavity deformation |
| H. W. Sizek and G. T. Gray III | 1855 | Deformation of polycrystalline Ni ₃ Al at high strain rates and elevated temperatures |
| C. S. Nichols, C. M. Mansuri, S. J. Townsend and D. A. Smith | 1861 | <i>In situ</i> studies of grain growth in thin metal films |
| A. J. Allen, D. Gavillet and J. R. Weertman | 1869 | SANS and TEM studies of isothermal M ₂ C carbide precipitation in ultrahigh strength AF1410 steels |
| M. Buchwitz, R. Adlwarth-Dieball and P. L. Ryder | 1885 | Kinetics of the crystallization of amorphous Ti ₂ Ni |
| R. E. Bolmaro, F. M. Guerra, U. F. Kocks, R. V. Browning, P. R. Dawson, J. D. Embury and W. J. Poole | 1893 | On plastic strain distribution and texture development in fiber composites |
| D. Daniel, J. Savoie and J. J. Jonas | 1907 | Textures induced by tension and deep drawing in low carbon and extra low carbon steel sheets |
| B. J. Duggan, K. Lücke, G. Köhlhoff and C. S. Lee | 1921 | On the origin of cube texture in copper |
| H. Riedel and J. Svoboda | 1929 | A theoretical study of grain growth in porous solids during sintering |
| | 1937 | Corrigendum |

NUMBER 7

iii Editorial Note

- | | | |
|---|------|---|
| M. H. Oh, H. Inui, M. Misaki and M. Yamaguchi | 1939 | Environmental effects on the room temperature ductility of polysynthetically twinned (PST) crystals of TiAl |
| M. Hillert, L. Höglund and J. Ågren | 1951 | Escape of carbon from ferrite plates in austenite |
| D. A. W. Kaute, H. R. Shercliff and M. F. Ashby | 1959 | Delamination, fibre bridging and toughness of ceramic matrix composites |

- | | | |
|--|------|--|
| M. L. Wasz and
R. B. McLellan | 1971 | The diffusion of hydrogen at low temperatures in Pd-Er-H ternary solutions |
| Huaxin Li and T. K. Chaki | 1979 | Hydrogen embrittlement in ductile Ni ₃ Al—effects of hydrogen content, strain rate and pre-deformation |
| J. Noordhuis and
J. Th. M. De Hosson | 1989 | Microstructure and mechanical properties of a laser treated Al alloy |
| C. F. Lau and H. W. Kui | 1999 | On the dendrites and dendritic transitions in undercooled germanium |
| M. Blicharski, R. Becker
and Hsun Hu | 2007 | Deformation texture of channel-die deformed aluminum bicrystals with <i>S</i> orientations |
| Zhigang Fang and
B. R. Patterson | 2017 | Experimental investigation of particle size distribution influence on diffusion controlled coarsening |
| D. A. Huntley and
S. H. Davis | 2025 | Thermal effects in rapid directional solidification: linear theory |
| M. Kajihara and M. Kikuchi | 2045 | Numerical analysis of dissolution of α phase in $\gamma/\alpha/\gamma$ diffusion couples of the Fe-Cr-Ni system |
| D. P. Walls, G. Bao and
F. W. Zok | 2061 | Mode I fatigue cracking in a fiber reinforced metal matrix composite |
| N. A. Dvorovienko,
D. Hamana, S. A. Gernov
and A. F. Sirenko | 2073 | Oscillation of structure characteristics in polycrystalline nickel during plastic deformation |
| D. G. Morris, M. A. Morris
and M. Leboeuf | 2077 | Fracture of a manganese-modified titanium trialuminide alloy |
| S. A. Demin, A. A. Nekrasov
and A. I. Ustinov | 2091 | X-ray diffraction study of one-dimensionally disordered structure formation in Co-based alloys |
| Zhenhai Xia | 2097 | Role of coatings in axial tensile strength of long fibre-reinforced metal-matrix composites |
| M. M. D. Ramos,
A. M. Stoneham and
A. P. Sutton | 2105 | Aluminium/polyimide adhesion |
| A. C. F. Cocks and
Z.-Z. Du | 2113 | Pressureless sintering and HIPing of inhomogeneous ceramic compacts |
| P. F. Thomason | 2127 | Ductile fracture by the growth and coalescence of microvoids of non-uniform size and spacing |
| A. S. Murthy and E. Goo | 2135 | Martensitic transformation of the Ni ₂ Al phase in 63.1 at.% NiAl |
| K. P. D. Lagerlöf | 2143 | On deformation twinning in b.c.c. metals |

- E. Ustundag, R. Subramanian, 2153 *In situ* formation of metal-ceramic microstructures, including metal-ceramic composites, using reduction reactions
R. Vaia, R. Dieckmann
and S. L. Sass
- T. Muschik, W. Laub, 2163 Energetic and kinetic aspects of the faceting transformation of a $\Sigma 3$ grain boundary in Cu
U. Wolf, M. W. Finnis
and W. Gust
- G. Saada and E. Bouchaud 2173 Dislocation walls
- D. Josell 2179 Exact solution for the zero creep load of a wire
- S. Socrate and D. M. Parks 2185 Numerical determination of the elastic driving force for directional coarsening in Ni-superalloys
- V. V. Rybin, A. A. Zisman 2211 Junction disclinations in plastically deformed crystals
and N. Yu. Zolotarevsky
- R. A. Batto and 2219 On the ductile-to-brittle transition in ice under compression
E. M. Schulson
- M. Weisse, 2227 The cyclic deformation and fatigue behaviour of the low carbon steel SAE 1045 in the temperature regime of dynamic strain ageing
C. K. Wamukwamba,
H.-J. Christ and
H. Mughrabi
- D. G. Ulmer and 2235 Phase relations in the hydrogen-austenite system
C. J. Altstetter
- R. S. Mishra, A. G. Paradkar 2243 Steady state creep behaviour of a rapidly solidified and further processed Al-5 wt% Ti alloy
and K. N. Rao

2253 Corrigenda

I *Acta Metallurgica et Materialia*—Associate Editors

NUMBER 8

- U. Kunaver and D. Kolar 2255 Computer simulation of anisotropic grain growth in ceramics
- C. S. Lee, B. J. Duggan 2265 A theory of deformation banding in cold rolling
and R. E. Smallman
- P. H. Leo and 2271 Shape evolution of an initially circular precipitate growing by diffusion in an applied stress field
Hereng-Jeng Jou
- Z. L. Xie, B. Sundqvist, 2283 Isothermal martensitic transformation under hydrostatic pressure in an Fe-Ni-C alloy at low temperatures
H. Hänninen and
J. Pietikäinen
- J. Lu and J. A. Szpunar 2291 Molecular-dynamics simulation of rapid solidification of aluminum

- | | | |
|--|------|--|
| D. M. Elzey and
H. N. G. Wadley | 2297 | Modeling the densification of metal matrix composite monotape |
| C. Woeltjen, C. F. Shih
and S. Suresh | 2317 | Cyclic near-tip fields for fatigue cracks along metal-metal and metal-ceramic interfaces |
| S. I. Hong, G. T. Gray III
and J. J. Lewandowski | 2337 | Dynamic deformation behavior of Al-Zn-Mg-Cu alloy matrix composites reinforced with 20 vol.% SiC |
| M. Olsson and
A. E. Giannakopoulos | 2353 | Microcracking of an internally pressurized ceramic ring |
| Z. C. Xia, R. R. Carr and
J. W. Hutchinson | 2365 | Transverse cracking in fiber-reinforced brittle matrix, cross-ply laminates |
| S. Muto, D. Schryvers,
N. Merk and L. E. Tanner | 2377 | High-resolution electron microscopy and electron diffraction study of the displacive transformation of the Ni_2Al phase in a $\text{Ni}_{65}\text{Al}_{35}$ alloy and associated with the martensitic transformation |
| Young Joon Baik,
Jin Kon Kim and
Duk Yong Yoon | 2385 | The effect of elastic anisotropy on the migration of intergranular liquid films and the precipitation of a liquid phase in a Co-Cu alloy |
| J. C. Ambrose, M. G. Nicholas
and A. M. Stoneham | 2395 | Dynamics of liquid drop spreading in metal-metal systems |
| Z. Fan and A. P. Miodownik | 2403 | The deformation behaviour of alloys comprising two ductile phases—I. Deformation theory |
| Z. Fan and A. P. Miodownik | 2415 | The deformation behaviour of alloys comprising two ductile phases—II. Applications of the theory |
| H. F. Wang, W. W. Gerberich
and C. J. Skowronek | 2425 | Fracture mechanics of $\text{Ti}/\text{Al}_2\text{O}_3$ interfaces |
| S. Khan and R. Elliott | 2433 | Solidification kinetics of the unmodified aluminium-silicon flake structure |
| P. Ratchev,
J. Van Humbeeck
and L. Delaey | 2441 | On the formation of 2H stacking sequence in 18R martensite plates in a precipitate containing Cu-Al-Ni-Ti-Mn alloy |
| V. Doquet | 2451 | Twinning and multiaxial cyclic plasticity of a low stacking-fault-energy f.c.c. alloy |
| A. Banerji, Q. Feng and
W. Reif | 2461 | Structural elucidation of crystallisation centers in aluminium inoculated with titanium |
| C. Ko and R. B. McLellan | 2473 | The thermodynamics of Ni-Cu-H solid solutions |
| P. H. Leo, T. W. Shield and
O. P. Bruno | 2477 | Transient heat transfer effects on the pseudoelastic behavior of shape-memory wires |
| K. Sumiyama, K. Yoshimoto
and M. Shiga | 2487 | Hierarchy of nonequilibrium phases in the immiscible Fe-Cu-Ag alloy system |

- | | | |
|--|------|--|
| Ho Yong Lee,
Suk-Joong L. Kang and
Duk Yong Yoon | 2497 | The effect of elastic anisotropy on the direction and faceting of chemically induced grain boundary migration in Al_2O_3 |
| A. Böttcher and K. Lücke | 2503 | Influence of subsurface layers on texture and microstructure development in RGO electrical steel |
| T. S. Sriram, Chih-Ming Ke
and Y. W. Chung | 2515 | Fatigue deformation of silver single crystals: STM evidence for crack nucleation, measurements of slip irreversibility and verification of a new scaling relationship for fatigue life |

NUMBER 9

iii Editorial Announcement

- | | | |
|---|------|---|
| Yu. V. Milman,
B. A. Galanov and
S. I. Chugunova | 2523 | Overview No. 107: Plasticity characteristic obtained through hardness measurement |
| H. Y. Wang, R. Najafabadi,
D. J. Srolovitz and
R. LeSar | 2533 | Segregation to and structure of [001] twist grain boundaries in Cu-Ni alloys |
| J. Pons and E. Cesari | 2547 | Martensitic transformation cycling in a β Cu-Zn-Al alloy containing γ -precipitates |
| M. van den Burg and
J. Th. M. De Hosson | 2557 | Martensitic transformations in laser processed coatings |
| R. Kozubski | 2565 | Thermal vacancies in B2 and L1_2 ordering alloys |
| J. Y. Huh, J. M. Howe
and W. C. Johnson | 2577 | Effect of coherency stresses on $\alpha + \alpha_2$ phase equilibria in Ti-Al alloys |
| A. H. Advani, L. E. Murr,
D. J. Matlock,
R. J. Romero, W. W. Fisher,
P. M. Tarin,
J. G. Maldonado,
C. M. Cedillo, R. L. Miller
and E. A. Trillo | 2589 | Deformation-induced microstructure and martensite effects on transgranular carbide precipitation in type 304 stainless steels |
| D. E. Meyers and A. J. Ardell | 2601 | Mechanical properties of individual grain boundaries in Ni_3Al using a miniaturized disk-bend test |
| R. A. Lebensohn and
C. N. Tomé | 2611 | A self-consistent anisotropic approach for the simulation of plastic deformation and texture development of polycrystals: application to zirconium alloys |
| J. B. Adams and W. G. Wolfer | 2625 | Void formation in rapidly-solidified metals |
| I. Baker | 2633 | Room temperature deformation of a lead-based "super-alloy" |

- J. Bystrzycki, W. Przetakiewicz and K. J. Kurzydłowski 2639 Study of annealing twins and island grains in f.c.c. alloy
- Y. Liu and B. R. Patterson 2651 Grain growth inhibition by porosity
- A. P. Zhilyaev, V. Yu. Gertsman, O. V. Mishin, A. I. Pshenichnyuk, I. V. Aleksandrov and R. Z. Valiev 2657 Grain boundary misorientation spectra (GBMS) determined by real ODF in f.c.c.-materials susceptible to annealing twinning
- L. Llanes, A. D. Rollett, C. Laird and J. L. Bassani 2667 Effect of grain size and annealing texture on the cyclic response and the substructure evolution of polycrystalline copper
- C. H. Weber, J. Y. Yang, J. P. A. Löfvander, C. G. Levi and A. G. Evans 2681 The creep and fracture resistance of γ -TiAl reinforced with Al_2O_3 fibers
- C. S. Lee and B. J. Duggan 2691 Deformation banding and copper-type rolling textures
- S. Farenc, D. Caillard and A. Couret 2701 An *in situ* study of prismatic glide in α titanium at low temperatures
- G. Bao and K. T. Ramesh 2711 Plastic flow of a tungsten-based composite under quasi-static compression
- Jiang Xinggang, Cui Jianzhong and Ma Longxiang 2721 The influence of the rolling direction on the mechanical behavior and cavity formation during superplastic deformation of 7075 Al alloy
- Y. S. Lee, T. J. Batt and S. C. Hwang 2729 Effects of creep and strain on the thermal stability of rod eutectics
- H. Biermann, T. Ungár, T. Pfannenmüller, G. Hoffmann, A. Borbély and H. Mughrabi 2743 Local variations of lattice parameter and long-range internal stresses during cyclic deformation of polycrystalline copper
- Xiaoxin Feng, A. M. Kumar and J. P. Hirth 2755 Mixed mode I/III fracture toughness of 2034 aluminum alloys
- R. H. Dauskardt 2765 A frictional-wear mechanism for fatigue-crack growth in grain bridging ceramics
- E. K. Tschegg, H. O. K. Kirchner and K.-H. Schwalbe 2783 Cracks at interfaces of different cohesion
- A. Tschöpe and R. Birringer 2791 Thermodynamics of nanocrystalline platinum

NUMBER 10

- G. González-Doncel and O. D. Sherby 2797 High temperature creep behavior of metal matrix aluminum-SiC composites
- C. C. Wang and S. A. Akbar 2807 Diffusion in ordered alloys and intermetallic compounds

- J. C. H. Spence, Y. M. Huang 2815 Lattice trapping and surface reconstruction for silicon cleavage on (111). *Ab-initio* quantum molecular dynamics calculations and O. Sankey
- A. Morawiec, J. A. Szpunar 2825 Texture influence on the frequency of occurrence of CSL-boundaries in polycrystalline materials and D. C. Hinz
- E. Weissenbek and 2833 Influence of the fiber arrangement on the mechanical and thermo-mechanical behavior of short fiber reinforced MMCs F. G. Rammerstorfer
- A. Lakki, R. Schaller, 2845 High temperature superplastic creep and internal friction of yttria doped zirconia polycrystals M. Nauer and C. Carry
- N. A. Stelmashenko, 2855 Microindentations on W and Mo oriented single crystals: an STM study M. G. Walls, L. M. Brown and Yu. V. Milman
- B. J. Inkson, C. B. Boothroyd 2867 Microstructure of a γ - α_2 - β Ti-Al alloy containing iron and vanadium and C. J. Humphreys
- X. Zhang, P. M. Kelly and 2877 A new metastable orthorhombic phase Cu₉Y A. Atrens
- S. M. Allameh, S. A. Dregia 2887 The role of interfacial energy in crystallite reorientation by twinning and P. G. Shewmon
- P. N. B. Anongba, 2897 Hardening stages of [112] copper single crystals at intermediate and high temperatures—I. Mechanical behaviour J. Bonneville and J. L. Martin
- P. N. B. Anongba, 2907 Hardening stages of [112] copper single crystals at intermediate and high temperatures—II. Slip systems and microstructures J. Bonneville and J. L. Martin
- L. M. Di, H. Bakker, P. Bérczy 2923 Phase transformations in the Nb-Au system by ball milling and the study of the metastable phases and Z. Gácsi
- D. L. Bourell and 2933 Effect of nonisothermal heating or cooling on grain growth W. Kaysser
- M. Krämer, M. J. Hoffmann 2939 Grain growth kinetics of Si₃N₄ during α/β -transformation and G. Petzow
- Wang Shuncaï, Li Chunzhi 2949 Study of the new Frank-Kasper phases in Al-Li-Cu-Mg alloys and Yan Minggao
- J. Languillaume, F. Chmelik, 2953 Microstructures and hardness of ultrafine-grained Ni₃Al G. Kapelski, F. Bordeaux, A. A. Nazarov, G. Canova, C. Esling, R. Z. Valiev and B. Baudelet
- H. Fujii, H. Nakae 2963 Interfacial reaction wetting in the boron nitride/molten aluminum system and K. Okada

- | | | |
|---|------|--|
| N. J. Sørensen | 2973 | A planar model study of creep in metal matrix composites with misaligned short fibres |
| M. E. Thurston and
A. T. Zehnder | 2985 | Experimental determination of silica/copper interfacial toughness |
| D. C. Houghton | 2993 | Equilibrium solubility and composition of mixed carbonitrides in microalloyed austenite |
| D. Josell and F. Spaepen | 3007 | Determination of the interfacial tension by zero creep experiments on multilayers—I. Theory |
| D. Josell and F. Spaepen | 3017 | Determination of the interfacial tension by zero creep experiments on multilayers—II. Experiment |
| R. D. Doherty, K. Kashyap
and S. Panchanadeeswaran | 3029 | Direct observation of the development of recrystallization texture in commercial purity aluminum |
| C. M. Kennefick | 3055 | Off axis loading of silicon carbide fibers in a titanium aluminide matrix |
| W. B. Li and R. Warren | 3065 | A model for nano-indentation creep |

I *Acta Metallurgica et Materialia*—Associate Editors

NUMBER 11

iii 1993 *Acta Metallurgica* Gold Medal

v The *Acta Metallurgica* J. Herbert Hollomon Award

- | | | |
|---|------|--|
| M. Dupeux, Chuangeng Wan
and P. Willemin | 3071 | Application of binary interdiffusion models to $\gamma'(\text{Ni}_3\text{Al})/\gamma(\text{Ni})$ diffusion bonded interfaces |
| Y. Takahashi, K. Inoue and
K. Nishiguchi | 3077 | Identification of void shrinkage mechanisms |
| J. Weertman | 3085 | Intrinsic versus extrinsic crack tip blunting |
| J. Kwieciński and
J. W. Wyrzykowski | 3089 | The effect of recovery annealing after small plastic deformations on the yield strength of polycrystalline aluminium |
| P. S. Grant, B. Cantor and
L. Katgerman | 3097 | Modelling of droplet dynamic and thermal histories during spray forming—I. Individual droplet behaviour |
| P. S. Grant, B. Cantor and
L. Katgerman | 3109 | Modelling of droplet dynamic and thermal histories during spray forming—II. Effect of process parameters |
| B. Drevet, S. Kalogeropoulou
and N. Eustathopoulos | 3119 | Wettability and interfacial bonding in Au-Si/SiC system |
| C. P. Ling and
P. G. McCormick | 3127 | The effect of temperature on strain rate sensitivity in an Al-Mg-Si alloy |
| W. Bochniak | 3133 | The Cottrell-Stokes law for f.c.c. single crystals |
| K. J. Kurzydłowski and
J. J. Bucki | 3141 | Flow stress dependence on the distribution of grain size in polycrystals |

- | | | |
|--|------|--|
| S. R. Gunawardena,
S. Jansson and F. A. Leckie | 3147 | Modeling of anisotropic behavior of weakly bonded fiber reinforced MMC's |
| D. W. Meyer, R. F. Cooper
and M. E. Plesha | 3157 | High-temperature creep and the interfacial mechanical response of a ceramic matrix composite |
| J. Martinez-Fernandez,
M. Jimenez-Melendo,
A. Dominguez-Rodriguez,
K. P. D. Lagerlöf and
A. H. Heuer | 3171 | High temperature precipitation hardening of Y_2O_3 partially-stabilized ZrO_2 (Y-PSZ) single crystals—II. A quantitative model for the hardening |
| K.-D. Fusenig and
E. Nembach | 3181 | Dynamic dislocation effects in precipitation hardened materials |
| T. Tarfa, B. Sitaud and
O. Dimitrov | 3191 | The effects of Ti or Ta on the kinetics of short range ordering and self-diffusion in Ni(Al)-based solid solutions |
| T. Rouxel and F. Wakai | 3203 | The brittle to ductile transition in a Si_3N_4/SiC composite with a glassy grain boundary phase |
| D. R. Arantes, X. Y. Huang,
C. Marte and R. Kirchheim | 3215 | Hydrogen diffusion and permeation in micro- and nanocrystalline nickel |
| V. Gupta | 3223 | Tensile crack-tip fields in elastic-ideally plastic hexagonal crystals and layered materials |
| M. Enomoto and C. Atkinson | 3237 | Diffusion-controlled growth of disordered interphase boundaries in finite matrix |
| A. Dlouhy, N. Merk and
G. Eggeler | 3245 | A microstructural study of creep in short fibre reinforced aluminium alloys |
| Z. X. Guo and B. Derby | 3257 | Fibre uniformity and cavitation during the consolidation of metal-matrix composite via fibre-mat and matrix-foil diffusion bonding |
| G. Gottstein and
L. S. Shvindlerman | 3267 | Theory of grain boundary motion in the presence of mobile particles |
| Y. Liu | 3277 | Internal friction associated with dislocation relaxations in virgin martensite—I. Experiments |
| A. S. Argon and P. Haasen | 3289 | A new mechanism of work hardening in the late stages of large strain plastic flow in f.c.c. and diamond cubic crystals |
| P. L. Rodriguez, F. C. Lovey,
G. Guenin, J. L. Pelegrina,
M. Sade and M. Morin | 3307 | Elastic constants of the monoclinic 18R martensite of a Cu-Zn-Al alloy |
| M. C. Shaw, D. B. Marshall,
M. S. Dadkhah and
A. G. Evans | 3311 | Cracking and damage mechanisms in ceramic/metal multilayers |
| C. P. Ling, P. G. McCormick
and Y. Estrin | 3323 | A load perturbation method of examining dynamic strain ageing |

- G. Rao, D. B. Zhang and P. Wynblatt 3331 A determination of interfacial energy and interfacial composition in Cu-Pb and Cu-Pb-X alloys by solid state wetting measurements

NUMBER 12

iii Editorial Note

- R. Balasubramaniam 3341 Overview No. 108: Accommodation effects during room temperature hydrogen transformations in the niobium-hydrogen system
- K. S. Ravichandran and V. Seetharaman 3351 Prediction of steady state creep behavior of two phase composites
- Tuyen D. Le, I. M. Bernstein and S. Mahajan 3363 Effects of hydrogen on micro-twinning in a Fe-Ti-C alloy
- R. Nakkalil, N. L. Richards and M. C. Chaturvedi 3381 The influence of solidification mode on heat affected zone microfissuring in a nickel-iron base superalloy
- Longquan Shi and D. O. Northwood 3393 Creep of an AISI 310 type stainless steel and its numerical simulation using the Öström-Lagneborg creep model
- L. Müller, U. Glatzel and M. Feller-Kniepmeier 3401 Calculation of the internal stresses and strains in the microstructure of a single crystal nickel-base superalloy during creep
- Y. G. Li and M. H. Loretto 3413 Antiphase boundaries in Ti48Al2Mo
- F. A. Khalid and D. V. Edmonds 3421 Observations concerning transformation interfaces in steels
- A. S. Murthy and E. Goo 3435 TEM studies of microtwins in the L1₀ phase in 63.1 at.% NiAl
- D. Srivastava, Madangopal K., S. Banerjee and S. Ranganathan 3445 Self accommodation morphology of martensite variants in Zr-2.5wt%Nb alloy
- A. S. Nandedkar 3455 Atomistic simulation of formation of misfit dislocations in f.c.c. heterostructures
- C. R. Kao and Y. A. Chang 3463 A theoretical analysis for the formation of periodic layered structure in ternary diffusion couples involving a displacement type of reactions
- S. N. Rosenbloom and C. Laird 3473 Fatigue crack nucleation based on a random slip process—I. Computer model
- H. Koizumi, H. O. K. Kirchner and T. Suzuki 3483 Kink pair nucleation and critical shear stress

- | | | |
|---|------|---|
| J. Svoboda | 3495 | Cooperation of diffusive processes at cavity nucleation in high temperature creep |
| W. Lengauer, D. Rafaja,
R. Täubler, C. Kral and
P. Ettmayer | 3505 | Preparation of binary single-phase line compounds via diffusion couples: the subnitride phases η -Hf ₃ N _{2-x} and ζ -Hf ₄ N _{3-x} |
| G. Bao and F. Zok | 3515 | On the strength of ductile particle reinforced brittle matrix composites |
| I. Sinitsky, A. Men and
D. G. Brandon | 3525 | Evaluation of coincidence lattice grain boundary and interface geometry in oxides by structural thermodynamics |
| A. E. Giannakopoulos,
K. Breder and M. Olsson | 3535 | Microcracking of an internally pressurized ceramic ring—2. Experimental observations |
| F. Y. Génin, W. W. Mullins
and P. Wynblatt | 3541 | The effect of stress on grain boundary grooving |
| R. E. Wistrom, P. Børgesen
and S. L. Sass | 3549 | Deuterium trapping in evaporated metal films—I. Characterization of the trapping |
| R. E. Wistrom, P. Børgesen
and S. L. Sass | 3557 | Deuterium trapping in evaporated metal films—II. Relationship of the trapping to microstructure |
| S. C. Gill and W. Kurz | 3563 | Rapidly solidified Al-Cu alloys—I. Experimental determination of the microstructure selection map |
| E. Fraś and H. F. López | 3575 | A theoretical analysis of the chilling susceptibility of hypoeutectic Fe-C alloys |
| Chun-hway Hsueh | 3585 | Analyses of slice compression tests for aligned ceramic matrix composites |
| W. P. Sun, M. Militzer,
D. Q. Bai and J. J. Jonas | 3595 | Measurement and modelling of the effects of precipitation on recrystallization under multipass deformation conditions |